

Recovery Plan Action Status

Plan Name: Seven Coastal Plants and the Myrtle's Silverspot Butterfly Recovery Plan

Plan Status: Final

Plan Date: 29-Sep-98

Lead Agency: USFWS

Lead Office: Ventura Fish And Wildlife Office

(805)

644-1766)

| Species | Action Priority # | Action # | Action Description | Action Status | Est. Initiation Date | Est. Completion Date | Responsible Parties | Work Type | Labor Type | Action Comments |
|---|-------------------|----------|---|--------------------|----------------------|----------------------|--|----------------------------|-----------------------------|--|
| Beach layia (Layia carnosa) | 1 | 1.41 | Inform land owners - Layia carnosa | Ongoing Current | FY 1995 - FY 1999 | | Local Lead Agencies [California coast, Myrtle's Silverspot/Seven coastal plants habitat] | Other: Regulations | Labor type not yet selected | Protect habitat: Monterey and Humboldt Counties; Coastal Commission and/or County LCP staff conduct routine notification of private landowners during project development planning process |
| Beach layia (Layia carnosa) | 1 | 1.42 | Consult agencies - Layia carnosa | Ongoing Current | FY 1995 - FY 1999 | | U.S. Fish and Wildlife Service | Research: Habitat Status | Internal Field Assistance | Multiple agency coordination in monitoring and mgmt across Humboldt, Sonoma, Monterey and Santa Barbara Counties, involving BLM, USFWS, Pt Reyes NS, California State Parks, Vandenberg AFB and private NGO's. |
| Menzies' wallflower (Erysimum menziesii), Howell's spineflower (Chorizanthe howellii), Monterey spineflower (Chorizanthe pungens var. pungens), Myrtle's silverspot butterfly (Speyeria zerene myrtleae), Monterey gilia (Gilia tenuiflora ssp. arenaria), Clover lupine (Lupinus tidestromii), Beach layia (Layia carnosa) | 1 | 2.11 | Minimize invasive plant threats on private land | Partially Complete | | | U.S. Bureau of Land Management | Work type not yet selected | Labor type not yet selected | Habitat restoration (exotics removal) has been ongoing by NGO's for many years at Humboldt Bay and Monterey Bay for Erysimum menziesii and/or Layia carnosa. |

| Species | Action Priority # | Action # | Action Description | Action Status | Est. Initiation Date | Est. Completion Date | Responsible Parties | Work Type | Labor Type | Action Comments |
|--|-------------------|----------|---|-----------------|----------------------|----------------------|----------------------------------|--|---------------------------|--|
| Menzies' wallflower (Erysimum menziesii), Howell's spineflower (Chorizanthe howellii), Monterey spineflower (Chorizanthe pungens var. pungens), Myrtle's silverspot butterfly (Speyeria zerene myrtilae), Monterey gilia (Gilia tenuiflora ssp. arenaria), Clover lupine (Lupinus tidestromii), Sonoma spineflower (Chorizanthe valida), Beach layia (Layia carnosa) | 1 | 2.12 | Minimize invasive plant threats on public lands | Ongoing Current | FY 1995 - FY 1999 | | Ventura Fish and Wildlife Office | Management: Habitat Maintenance and Manipulation | Internal Field Assistance | <p>Habitat restoration (exotics removal) has been ongoing for many years funded by Federal, State and/or local entities for one or more of the covered species by BLM, Vandenberg AFB, USFWS, State and National Parks public lands in Humboldt, Mendocino, Sonoma, Monterey and Santa Barbara Counties. PORE, in Feb 2011 conducted a large-scale dune restoration project just south of Abbott's Lagoon. Through the Abbotts Lagoon Coastal Dune Restoration Project, 80 acres of European beachgrass and 1 acre of iceplant were removed from approximately 200 acres of coastal dune. This project should have indirect benefits for Lupinus tidestromii by removing habitat for (artificially elevated numbers of) seed predators that threaten the existing Abbotts Lagoon population and allowing for natural sand movement, as well as some direct benefits for this species and Layia carnosa by creating new habitat for these species.</p> <p>Also, for the benefit of Chorizanthe valida, in Dec 2010, more than 10 acres of yellow bush</p> |

| Species | Action Priority # | Action # | Action Description | Action Status | Est. Initiation Date | Est. Completion Date | Responsible Parties | Work Type | Labor Type | Action Comments |
|--|-------------------|----------|--|---------------|----------------------|----------------------|---------------------|----------------------------|-----------------------------|--|
| | | | | | | | | | | lupine was removed (which is known to facilitate invasion by non-native species by increasing nitrogen and organic content). |
| Menzies' wallflower (Erysimum menziesii), Howell's spineflower (Chorizanthe howellii), Monterey spineflower (Chorizanthe pungens var. pungens), Monterey gilia (Gilia tenuiflora ssp. arenaria), Clover lupine (Lupinus tidestromii), Sonoma spineflower (Chorizanthe valida), Beach layia (Layia carnosa) | 1 | 3.1 | Examine the interactions of cattle grazing on listed plant habitat | Not Started | | | To be determined | Work type not yet selected | Labor type not yet selected | |

| Species | Action Priority # | Action # | Action Description | Action Status | Est. Initiation Date | Est. Completion Date | Responsible Parties | Work Type | Labor Type | Action Comments |
|--|-------------------|----------|---|--------------------|----------------------|----------------------|---------------------|----------------------------|-----------------------------|---|
| Menzies' wallflower (Erysimum menziesii), Howell's spineflower (Chorizanthe howellii), Monterey spineflower (Chorizanthe pungens var. pungens), Monterey gilia (Gilia tenuiflora ssp. arenaria), Clover lupine (Lupinus tidestromii), Sonoma spineflower (Chorizanthe valida), Beach layia (Layia carnosa) | 1 | 3.21 | Obtain life history and response-to-management data for the listed plants | Partially Complete | FY 2000 - FY 2004 | | To be determined | Work type not yet selected | Labor type not yet selected | (1) Grant agreement between FWS and UCSC (~\$20,000+ including UCSC contribution) for management-oriented research on seed dormancy and soil seed banks of Monterey spineflower and Monterey (sand) gilia; 2003 - 2006. (2) Multi-year project to clarify taxonomic relationships of Chorizanthes in Monterey/SCruz region, 2004-2005; \$17,500 expended for all taxa. (DMS, VFWO, 2005). In Dec 2010, an historic ranch road on G Ranch was re-aligned out of the main population of Chorizanthe valida, and in winter 2010-2011, five new populations of Chorizanthe valida were introduced from seed into historic habitat (with much success!). In August 2010, 334 seeds were collected from 24 individuals of this species (at the natural and reintroduced populations) and sent to the UC Berkeley Botanical Garden which in turn sent half to the National Center for Genetic Resources Preservation in Denver, CO and half to the Rancho Santa Ana Botanical Garden in Claremont, CA. |

| Species | Action Priority # | Action # | Action Description | Action Status | Est. Initiation Date | Est. Completion Date | Responsible Parties | Work Type | Labor Type | Action Comments |
|---|-------------------|----------|--|-----------------|----------------------|----------------------|--------------------------------|--------------------------------|-----------------------------|---|
| | | | | | | | | | | Genetic study by Brinegar and Baron (2009) indicates that <i>C. pungens</i> / <i>C. robusta</i> complex is genetically very similar, and that taxonomic revision to include all varieties of this complex as two varieties of <i>C. pungens</i> may be warranted in the future (Lena Chang 7/29/2010). Extensive research conducted on life history of <i>Erysimum menziesii</i> , <i>Layia carnosa</i> and <i>Chorizanthe howellii</i> over the past decade. |
| Menzies' wallflower (<i>Erysimum menziesii</i>), Howell's spineflower (<i>Chorizanthe howellii</i>), Monterey spineflower (<i>Chorizanthe pungens</i> var. <i>pungens</i>), Monterey gilia (<i>Gilia tenuiflora</i> ssp. <i>arenaria</i>), Clover lupine (<i>Lupinus tidestromii</i>), Sonoma spineflower (<i>Chorizanthe valida</i>), Beach layia (<i>Layia carnosa</i>) | 2 | 3.4 | Determine habitat requirements for plants | Ongoing Current | FY 1995 - FY 1999 | | | Research: Habitat Requirements | Internal Field Assistance | |
| Beach layia (<i>Layia carnosa</i>) | 2 | 4.51 | Establish working group - <i>Layia carnosa</i> | Not Started | | | U.S. Fish and Wildlife Service | Acquisition | Labor type not yet selected | |

| Species | Action Priority # | Action # | Action Description | Action Status | Est. Initiation Date | Est. Completion Date | Responsible Parties | Work Type | Labor Type | Action Comments |
|-----------------------------|-------------------|----------|-------------------------------------|--------------------|----------------------|----------------------|---------------------|----------------------------|-----------------------------|---|
| Beach layia (Layia carnosa) | 2 | 4.52 | Implement guidelines -Layia carnosa | Partially Complete | | | To be determined | Work type not yet selected | Labor type not yet selected | Habitat restoration efforts and species management efforts continuing at Freshwater Spit and Humboldt Bay by BLM, Humboldt Bay National Wildlife Refuge, National Parks, NGO's; also management activities in accordance with recovery at Monterey Bay (State Parks, NGO's) and Vandenberg AFB. |

| Species | Action Priority # | Action # | Action Description | Action Status | Est. Initiation Date | Est. Completion Date | Responsible Parties | Work Type | Labor Type | Action Comments |
|--|-------------------|----------|------------------------------|-----------------|----------------------|----------------------|--|------------------------------|-------------------------------------|--|
| Menzies' wallflower (Erysimum menziesii), Howell's spineflower (Chorizanthe howellii), Monterey spineflower (Chorizanthe pungens var. pungens), Myrtle's silverspot butterfly (Speyeria zerene myrtleae), Monterey gilia (Gilia tenuiflora ssp. arenaria), Clover lupine (Lupinus tidestromii), Sonoma spineflower (Chorizanthe valida), Beach layia (Layia carnosa) | 3 | 5.1 | Monitor populations - trends | Ongoing Current | FY 2006 | | U.S. Fish and Wildlife Service, To be determined | Research: Population Surveys | Contract, Internal Field Assistance | Erysimum menziesii monitored generally on routine basis at many sites across the range by BLM, USFWS, and California State Parks. Layia carnosa is monitored by National Parks, Pt Reyes NS, BLM, USFWS, California State Parks, Vandenberg AFB and several NGO's across the range. Research including a comparison of critical life history functions across the range will be implemented winter 2011 to determine if recovery goals for populations at the limits of its range are feasible to achieve. A population estimate was made for the first time in 2011 of Chorizanthe howellii at McKerricher State Park, Mendocino County. Monitoring of C. valida and Lupinus is ongoing at Point Reyes National Park. |

| Species | Action Priority # | Action # | Action Description | Action Status | Est. Initiation Date | Est. Completion Date | Responsible Parties | Work Type | Labor Type | Action Comments |
|--|-------------------|----------|-------------------------------------|-----------------|----------------------|----------------------|--|--|-----------------------------|---|
| Menzies' wallflower (Erysimum menziesii), Howell's spineflower (Chorizanthe howellii), Monterey spineflower (Chorizanthe pungens var. pungens), Myrtle's silverspot butterfly (Speyeria zerene myrtleae), Monterey gilia (Gilia tenuiflora ssp. arenaria), Clover lupine (Lupinus tidestromii), Sonoma spineflower (Chorizanthe valida), Beach layia (Layia carnosa) | 3 | 5.2 | Monitor success at reducing threats | Ongoing Current | FY 1995 - FY 1999 | | U.S. Fish and Wildlife Service, To be determined | Research: Habitat Status, Research: Population Surveys | Internal Field Assistance | Rarious routine monitoring efforts conducted by BLM, USFWS, State and national Parks, Vandenberg AFB and others across the mage of the species. |
| Menzies' wallflower (Erysimum menziesii), Howell's spineflower (Chorizanthe howellii), Monterey spineflower (Chorizanthe pungens var. pungens), Myrtle's silverspot butterfly (Speyeria zerene myrtleae), Monterey gilia (Gilia tenuiflora ssp. arenaria), Clover lupine (Lupinus tidestromii), Sonoma spineflower (Chorizanthe valida), Beach layia (Layia carnosa) | 3 | 5.3 | Survey likely habitat | Ongoing Current | FY 1995 - FY 1999 | | U.S. Fish and Wildlife Service, To be determined | Work type not yet selected | Labor type not yet selected | Routine surveys conducted as required as part of project planning efforts at state and federal levels across the ranges of the species. |

| Species | Action Priority # | Action # | Action Description | Action Status | Est. Initiation Date | Est. Completion Date | Responsible Parties | Work Type | Labor Type | Action Comments |
|--|-------------------|----------|--------------------|-----------------|----------------------|----------------------|--|----------------------------|-----------------------------|--|
| Menzies' wallflower (Erysimum menziesii), Howell's spineflower (Chorizanthe howellii), Monterey spineflower (Chorizanthe pungens var. pungens), Myrtle's silverspot butterfly (Speyeria zerene myrtleae), Monterey gilia (Gilia tenuiflora ssp. arenaria), Clover lupine (Lupinus tidestromii), Sonoma spineflower (Chorizanthe valida), Beach layia (Layia carnosa) | 3 | 7 | Outreach program | Ongoing Current | | | U.S. Fish and Wildlife Service, To be determined | Work type not yet selected | Labor type not yet selected | No formal outreach implemented; informal education and outreach conducted as routine operation of federal and state agency landowners, and NGO landowners. |